



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Improved arc lamp for projection.—Users of projection lanterns will be interested in learning of a recent improvement in the arc-lamp. This consists in the placing in the circuit of a pair of coils of heavy copper wire, one on either side of the arc at a distance of about $1\frac{1}{2}$ inches. The current passing thru the coils creates two magnetic fields which serve to control the arc. By the use of this device sputtering is largely done away with and the position of the crater remains nearly constant. A lamp so equipped requires less frequent attention than does the old style. In a recent trial of this device when using about 10 amperes of current at 220 volts an arc gave fifteen minutes' service without any adjustments being made. At intervals after ten minutes of use there was a slight sputtering and at the end of fifteen minutes the arc broke. Throughout the whole time the light was serviceable. The device may be had on lanterns furnished by the Bausch and Lomb Optical Co. and by Spencer Lens Co.

GEORGE R. LA RUE.

SHORT METHOD FOR AFFIXING STAINED SECTIONS.

The following short method for affixing sections of stained tissues has been used to good advantage. Place on a clean glass slide a small drop of fixative prepared by mixing equal parts of oil-of-cloves and collodion. Rub until a thin coat is formed. Lay upon the slide the paraffin ribbons of sections, and flatten out the latter by pressing them down with the tip of the finger. Place the slide in xylol until the paraffin is dissolved off and mount in balsam.

Zool. Lab. Kan. State Agri. Coll.

JAMES E. ACKERT.

MOUNTING BOTANICAL MATERIAL IN SODIUM SILICATE MEDIUM.

S. F. Maxwell (Ill. Micr. Soc. Oct. meeting) recommends the employment of sodium silicate for mounting delicate vegetable preparations that do not readily endure dehydration. Use any solution that is free from precipitated silica. Have the solution of a consistency of a medium thick jelly. Place section in it, and place cover as usual. It sets very quickly, in 24 hours, and is very durable. No dehydration is necessary. The method is both useful and easy.

V. A. L.